

Prepared for:
CANDOR CBD

1830 BOSTON AVE
LONGMONT, CO USA 80501

720M060523-1

Batch ID or Lot Number: 720M060523-1	Test: Potency	Reported: 23Jun2023	USDA License: N/A
Matrix: Concentrate	Test ID: T000245891	Started: 22Jun2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 20Jun2023	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.006	0.017	ND	ND	
Cannabichromenic Acid (CBCA)	0.006	0.016	ND	ND	
Cannabidiol (CBD)	0.015	0.044	5.060	50.60	
Cannabidiolic Acid (CBDA)	0.016	0.045	ND	ND	
Cannabidivarin (CBDV)	0.004	0.010	0.020	0.20	
Cannabidivarinic Acid (CBDVA)	0.006	0.019	ND	ND	
Cannabigerol (CBG)	0.004	0.010	ND	ND	
Cannabigerolic Acid (CBGA)	0.015	0.041	ND	ND	
Cannabinol (CBN)	0.005	0.013	ND	ND	
Cannabinolic Acid (CBNA)	0.010	0.028	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.017	0.049	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.016	0.044	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.014	0.039	ND	ND	
Tetrahydrocannabivarin (THCV)	0.003	0.009	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.012	0.034	ND	ND	
Total Cannabinoids			5.080	50.80	
Total Potential THC			ND	ND	
Total Potential CBD			5.060	50.60	

Final Approval



Karen Winternheimer
23Jun2023
11:02:00 AM MDT

PREPARED BY / DATE



Sam Smith
23Jun2023
11:04:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/c350994b-5488-41d6-bb04-34260faf0298>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
c350994b548841d6bb0434260faf0298.1